



PeopleLink i8 Webcam

PeopleLink i8 webcam is designed to create a life like face-to-face experience with its Full HD audio/visual delivery. A plug-and-play device that displays the sharpest possible image in Full HD. This powerful camera captures even the minutest details with very little bandwidth usage. i8 webcam also offers seamless connectivity with various instant messaging and video Conferencing solutions like PeopleLink InstaVC and any other Software based VC.

Product Features

- **HD & Lens**

Support 1080P Full HD with super resolution up to 1080P@30fps/25fps encoding output, and down compatible with 1080p,720p.Wide angle up to 83° and 120°. At the same time.

- **USB**

Full functional USB, 2.0 connectivity, power supply, video and audio all in one. it can also support audio and video calls.

- **Built in Microphone**

Built in microphone array,omnidirectional pickup, pickup distance up to 3 meters, noise suppressing algorithm with excelent sound.

Product Features

Low Light

Star-level ultra-high noise ratio of the new CMOS image sensor can effectively reduce the low noise in the case of image noise, while the application of 2D and 3D noise reduction algorithm, significantly reducing the image noise, even under low light conditions, still keep the picture Clean and clear, the image signal to noise ratio up to 55dB or more.

Easy installation

Equipped with damping rotary shaft bracket, to meet the market almost 100 of the display, easy to install, stable and reliable.



Product Specifications

Camera

	i8 Web Camera FOV: 120° Fixed lens	i8 Web Camera FOV: 83° Fixed lens
Sensor	: 1/2.7", CMOS, Effective Pixel: 2.07M	
Scanning Mode	: Progressive	
Lens Mount	: M12	
Lens	: Focus: f=3.1mm,	Focus: f=3.5mm,
Wide Angle	: FOV: 120° Fixed lens	FOV: 83° Fixed lens
Model	: PPU-PVC-WC-120-I8	PPU-PVC-WC-I8
Minimal Illumination	: 0.05 Lux @ (F1.8, AGC ON)	
Shutter	: 1/30s ~ 1/10000s	
White Balance	: Auto, Manual, VAR	
Camera bracket	: Bracket with damper	
Digital Noise	: 2D,3D digital noise reduction	
Audio Pickup Range	: 3 meters	
Backlight	: Support	

USB Features

Operate System : Windows® 7 (1080p and under only), Windows 8.1, Windows 10 or higher macOS™ 10.10 or higher, Google™ Chromebook™ Version 29.0.1547.70 or higher, Linux

: 2.4 GHz Intel® Core 2 Duo processor or higher 2 GB RAM or more USB 2.0 port

Color System / Compression : YUY2 / H.264 / MJPEG

Video Format : 1080p@30fps/25fps, 720p@30fps/25fps, 960x540p@30fps/25fps, 640x360p@30fps/25fps

USB Video Communication : UVC 1.0

www.peoplelinkvc.com

Product Specifications

Input/Output Interface

USB Interface : 1xUSB 2.0: Type A.

General specification

Input Voltage : 5V (USB power supply)
Current Consumption : 270mA
Operating : -10°C ~ 40°C (14°F ~ 104°F)
Storage Temperature : -40°C ~ 60°C (-40°F ~ 140°F)
Power Consumption : 1.4W
Dimensions : 115 mm x 25 mm x 30 mm (Without Bracket)
Net Weight : 100g (Without Bracket)
MTBF : 30000h
Certifications : Ce, rohs and fcc



Warranty

1 year warranty

Ordering Information

PeopleLink i8 Web Camera FOV: 83° Fixed lens

Part code : PPU-PVC-WC-I8

PeopleLink i8 Web Camera FOV: 120° Fixed lens

Part code : PPU-PVC-WC-120-I8

GLOBAL HEADQUARTERS

Q3-A3, 10th Floor, Cyber Towers, Hitech City,
Madhapur, Hyderabad - 500 081 (India)
Phone: +91 (40) 66903959 / 60
Email: vc@peoplelinkvc.com

INTERNATIONAL CONTACT NUMBERS

USA : +1-321-2163070
UK : +44-20-35190197

Africa : +27-10-5001977
Australia : +61-29-0988367

Canada : +1-647-4964195
Middle East : +973-1-6199342

Follow us:



www.peoplelinkvc.com/social-presence

DISCLAIMER: PeopleLink Unified Communications Pvt. Ltd., All rights reserved. All third party trademarks / products mentioned (If any) are the property of their respective owners. Product Images are for illustration purpose only. Actual product may vary due to product enhancements. All specifications are subject to change without notice; system specifics may vary.

PeopleLink Public Document | PeopleLink Unified Communications Pvt. Ltd. | ISO 9001:2015 & ISO/IEC 27001:2013 Certified Company.